# **ONSET**

## HOBO® U12-015-02 Data Logger

### 5-Inch Probe Temperature Data Logger

The HOBO U12 Stainless 5-inch Probe Temperature Data Logger is ideal for monitoring internal temperature of foods or any application where fast response is critical.

#### **Supported Measurements:**

Temperature



#### **Key Advantages:**

- Food-grade 316 Series Stainless Steel
- High-accuracy, extended temperature range
- Suitable for high pressure applications to 2200psi
- Fast readout via direct USB interface
- Compatible with HOBOware and HOBOware Pro software for logger setup, graphing and analysis

#### **HOBO U12-015-02 Data Logger Specifications**

**Measurement range:** -40° to 125°C (-40° to 257°F)

Accuracy: ± 0.25°C from 0° to 50°C (± 0.45°F from 32° to 122°F), see Plot A in manual

Resolution: 0.03°C at 25°C (0.05°F at 77°F), see Plot A in manual

**Drift:** 0.05°C/year + 0.1°C/1000 hrs above 100°C (0.09°F/year + 0.2°F/1000 hrs above 212°F)

Response time in 1 m/s (2.2 mph) airflow U12-015: < 10 minutes, typical to 90% U12-015-02: 2.25 minutes, typical to 90%

Response time in water

<del>U12-015: < 3.5 minutes</del>, typical to 90% **U12-015-02:** 20 seconds, typical to 90%

Time accuracy: ± 2 minute per month at 25°C (77°F), see Plot B in manual

Operating environment: Air, water, steam, 0 to 100% RH

Operating temperature

**Logging:** -40° to 125°C (-40° to 257°F)

Launch/readout: 0° to 50°C (32° to 122°F), per USB specification

**Battery life:** 3 year typical use, factory replaceable **Memory:** 64K bytes (43,000 12-bit measurements) **Construction:** Food-grade 316 Series Stainless Steel

Weight

**U12-015:** 72 g (2.5 oz) **U12-015-02:** 82 g (2.9 oz)

**Logger dimensions:** 17.5 x 101.6 mm (0.69 x 4.00 inches)

Probe dimensions: (U12-015-02 only): 4 x 124 mm (0.16 x 4.90 inches)

Pressure/depth rating: 2200 psi (1500 m/4900 ft) maximum

Vibration rating: Navy spec: NAVMAT P-9492 (non-probe model only)

NIST certificate: Available for additional charge; temperature range -30° to 120°C (-22° to 248°F)

The CE Marking identifies this product as complying with all relevant directives in the European Union (EU).

#### **Contact Us**

Sales (8am to 5pm ET, Monday through Friday)

- ► Email sales@onsetcomp.com
- Call 1-508-759-9500
- In U.S. toll free 1-800-564-4377
- Fax 1-508-759-9100

Technical Support (8am to 8pm ET, Monday through Friday)

- ▶ Contact Product Support www.onsetcomp.com/support/contact
- ► Call 1-508-759-9500
- In U.S. toll free 1-877-564-4377

Onset Computer Corporation 470 MacArthur Boulevard Bourne, MA 02532